Available online at www.sciencedirect.com
ScienceDirect
Aquaculture 275 (2008) 374–376
Aquaculture
www.elsevier.com/locate/aqua-online

Contents of *Aquaculture*, Volume 275

VOL. 275 NOS. 1–4 **31 March 2008**

Review Article

Transgenic approaches for the reproductive containment of genetically engineered fish
A.C. Wong and A.L. Van Eenennaam (Davis, United States) 1

Diseases

Distribution of luminescent *Vibrio harveyi* and their bacteriophages in a commercial shrimp hatchery in South India
B. Chrisolite, S. Thiyagarajan, S.V. Alavandi, E.C. Abhilash, N. Kalaimani, K.K. Vijayan and T.C. Santiago (Chennai, India) 13

Survival of cool and warm freshwater fish following chloramine-T exposure
M.P. Gaikowski, W.J. Larson and W.H. Gingerich (La Crosse, Wisconsin, USA) 20

Chinese herbs (*Astragalus membranaceus* and *Lonicera japonica*) and boron enhance the non-specific immune response of Nile tilapia (*Oreochromis niloticus*) and resistance against *Aeromonas hydrophila*
L. Ardó (Szarvas, Hungary), G. Yin, P. Xu (Wuxi, PR China), L. Váradi (Szarvas, Hungary), G. Szigeti (Budapest, Hungary), Z. Jeney and G. Jeney (Szarvas, Hungary) 26

Transmission dynamics of *Discocotyle sagittata* (Monogenea) in farmed rainbow trout interpreted from parasite population age structure
M. Rubio-Godoy (Veracruz, México) and R.C. Tinsley (Bristol, United Kingdom) 34

Culture-independent characterization of the bacterial populations associated with cod (*Gadus morhua* L.) and live feed at an experimental hatchery facility using denaturing gradient gel electrophoresis
D. McIntosh, B. Ji, B.S. Forward (Fredericton, NB, Canada), V. Puvanendran, D. Boyce (NF, Canada), Rachael Ritchie (Fredericton, NB, Canada) 42

Intraperitoneal and dorsal median sinus vaccination effects on growth, immune response, and reproductive potential in farmed Atlantic salmon *Salmo salar*
J. Treasurer (Argyll, UK) and C. Cox (Inverness-shire, UK) 51

Detection and phylogeny of *Lymphocystivirus* in sea bream *Sparus aurata* based on the DNA polymerase gene and major capsid protein sequences
H. Kvitt, G. Heinisch and A. Diamant (Eilat, Israel) 58

Genetics

Estimation of genetic change in the GIFT strain of Nile tilapia (*Oreochromis niloticus*) by comparing contemporary progeny produced by males born in 1991 or in 2003
H.L. Khaw, R.W. Ponzoni (Penang, Malaysia) and Ma.J.C. Danting (Neuva Ecija, Philippines) 64

A novel phytase gene *appA* from *Buttiauxella* sp. GC21 isolated from grass carp intestine
P. Shi, H. Huang, Y. Wang, H. Luo, B. Wu, K. Meng, P. Yang and B. Yao (Beijing, PR China) 70

Characterization, polymorphism assessment, and database construction for microsatellites from BAC end sequences of channel catfish (*Ictalurus punctatus*): A resource for integration of linkage and physical maps
B. Somridhivej, S. Wang (Auburn, AL, USA), Z. Sha (Auburn, AL, USA; Qingdao, China), H. Liu (Auburn, AL, USA; Wuhan, China), J. Quilang (Auburn, AL, USA; Quezon City, Philippines), P. Xu, P. Li (Auburn, AL, USA), Z. Hu (Ames, IA, USA) and Z. Liu (Auburn, AL, USA) 76

Heritabilities and GxE interactions for growth in the European sea bass (*Dicentrarchus labrax* L.) using a marker-based pedigree
M. Dupont-Nivet (Jouy-en-Josas, France), M. Vandeputte, A. Vergnet (Palavas-les-Flots, France), O. Merdy (Jouy-en-Josas, France), P. Haffray (Rennes, France), H. Chavanne (Torre Canne di Fasano, Italy) and B. Chatain (Palavas-les-Flots, France) 81

Husbandry and Management

A humane protocol for electro-stunning and killing of Nile tilapia in fresh water
E. Lambooij, M.A. Gerritzen, H. Reimert (Lelystad, The Netherlands), D. Burggraaf and J.W. van de Vis (IJmuiden, The Netherlands) 88

Long-term transformation of oxolinic acid in water from an eel pond
H.-T. Lai (Chiayi, Taiwan, ROC), Y.-H. Chien (Keelung, Taiwan, ROC) and J.-S. Lin (Chiayi, Taiwan, ROC) 96

Impacts of light regime on egg harvests and 48-h egg hatching success of *Acartia tonsa* (Copepoda: Calanoida) within intensive culture
M.A. Peck, B. Ewest, L. Holste, P. Kanstinger and M. Martin (Hamburg, Germany) 102

Relationships among water quality, food resources, fish diet and fish growth in polyculture ponds: A multivariate approach
M.M. Rahman, L.A.J. Nagelkerke, M.C.J. Verdegem (Wageningen, The Netherlands), M.A. Wahab (Mymensingh, Bangladesh) and J.A.J. Verreth (Wageningen, The Netherlands) 108

The effects of temperature and salinity on population growth and egg hatching success of the tropical calanoid copepod, *Acartia sinjiensis*
M. Milione and C. Zeng (Townsville, Queensland, Australia) 116

Growth and production of California sea cucumbers (*Parastichopus californicus* Stimpson) co-cultured with suspended Pacific oysters (*Crassostrea gigas* Thunberg)
D.L. Paltzat (Nanaimo, Vancouver, British Columbia, Canada), C.M. Pearce, P.A. Barnes (Nanaimo, British Columbia, Canada) and R.S. McKinley (Vancouver, British Columbia, Canada) 124
Integrated assessment of ecosystem-scale carrying capacity in shellfish growing areas
J.G. Ferreira (Monte de Caparica, Portugal), A.J.S. Hawkins (Plymouth, United Kingdom), P. Monteiro (Stellebosch, South Africa), H. Moore, M. Service (Belfast, United Kingdom), P.L. Pascoe (Plymouth, United Kingdom), L. Ramos (Lisboa, Portugal) and A. Sequeira (Monte de Caparica, Portugal) 138
Effects of oxygen concentration and body weight on maximum feed intake, growth and hematological parameters of Nile tilapia, *Oreochromis niloticus*
A. Tran-Duy, J.W. Schrama (Wageningen, The Netherlands), A.A. van Dam (Delft, The Netherlands) and J.A.J. Verreth (Wageningen, The Netherlands) 152
Growth, production and fin damage in cage-held 0+ Atlantic salmon pre-smolts (*Salmo salar* L.) fed either a) on-demand, or b) to a fixed satiation–restriction regime: Data from a commercial farm
C. Noble (Glasgow, Scotland, UK; Tromsø, Norway), S. Kadri (Glasgow, Scotland, UK), D.F. Mitchell (Glasgow, Scotland, UK; Dover, Tasmania, Australia) and F.A. Huntingford (Glasgow, Scotland, UK) 163
A laboratory-scale recirculating aquaculture system for juveniles of freshwater pearl mussel *Hyriopsis* (*Limnoscapha*) *myersiana* (Lea, 1856)
S. Kovitvadhi (Bangkok, Chonburi, Thailand), U. Kovitvadhi (Bangkok, Thailand), P. Sawangwong (Chonburi, Thailand) and J. Machado (Porto, Portugal) 169
Fertility of cryopreserved spermatozoa of the Japanese pearl oyster, *Pinctada fucata martensii*
T. Narita (Mie, Japan), T. Kawamoto (Nara, Japan), K. Isowa, H. Aoki, M. Hayashi, A. Komaru (Mie, Japan) and H. Ohta (Nara, Japan) 178
Probiotic *P. acidilactici* application in shrimp *Litopenaeus stylirostris* culture subject to vibriosis in New Caledonia
M. Castex (Nouméa cedex, New Caledonia; Paris, France), L. Chim, D. Pham, P. Lemaire, N. Wabete (Nouméa cedex, New Caledonia), J.-L. Nicolas (Plouzané, France), P. Schmidely and C. Mariojouls (Paris, France) 182
The effect of mussel seed density on tunicate settlement and growth for the cultured mussel, *Mytilus edulis*
A. Ramsay, J. Davidson (Charlottetown, PEI, Canada), T. Landry (Monctown, NB, Canada) and H. Stryhn (Charlottetown, PEI, Canada) 194

Nutrition

Effect of dietary taurine supplementation on growth performance and bile salt activated lipase activity of common dentex, *Dentex dentex*, fed a fish meal/soy protein concentrate-based diet
S. Chatzifotis (Heraklio, Greece), I. Polemitou (Thessaloniki, Greece), P. Divanach (Heraklio, Greece) and E. Antonopoulou (Thessaloniki, Greece) 201
Quantification of dry matter % and liquid leakage in Atlantic cod (*Gadus morhua*) using computerised X-ray tomography (CT)
K. Kolstad, T. Mørkøre and M.S. Thomassen (Ås, Norway) 209
Pre-hydrolysis improves absorption of neutral lipids in Atlantic halibut (*Hippoglossus hippoglossus*, L.) larvae
T.A. Mollan, S.K. Tonheim and K. Hamre (Bergen, Norway) 217
Dietary supplementation of salmon roe phospholipid enhances the growth and survival of Pacific bluefin tuna *Thunnus orientalis* larvae and juveniles
M. Seoka, M. Kurata, R. Tamagawa, A.K. Biswas, B.K. Biswas, A. Seok Kian Yong, Y.-S. Kim, S.-C. Ji, K. Takii and H. Kumai (Wakayama, Japan) 225
Dietary fat level modifies the expression of hepatic genes in juvenile rainbow trout (*Oncorhynchus mykiss*) as revealed by microarray analysis
S. Panserat, S. Ducasse-Cabanot, E. Plagnes-Juan (Saint-Pée-sur-Nivelle, France), P.P. Srivastava (Mumbai, India), C. Kolditz (Saint-Pée-sur-Nivelle, France), F. Piumi, D. Esquerré (Jouy-en-Josas, France) and S. Kaushik (Sain-Pée-sur-Nivelle, France) 235
The effect of dietary hydroxyproline supplementation on salmon (*Salmo salar* L.) fed high plant protein diets
A. Aksnes, H. Mundheim, J. Toppe and S. Albrektsen (Bergen, Norway) 242
Evaluation of the effects of repeated fecal collection by manual stripping on the plasma cortisol levels, *TNF*-α gene expression, and digestibility and availability of nutrients from hydrolyzed poultry and egg meal by rainbow trout, *Oncorhynchus mykiss* (Walbaum)
D.A.J. Stone, T.G. Gaylord, K.A. Johansen, K. Overturf, W.M. Sealey and R.W. Hardy (Hagerman, Idaho, United States) 250
Replacement of fish meal by rendered animal protein ingredients with lysine and methionine supplementation to practical diets for gibel carp, *Carassius auratus gibelio*
M. Hu, Y. Wang, Q. Wang (Wuhan, PR China), M. Zhao (Guangzhou, PR China), B. Xiong (Wuhan, PR China), X. Qian (Guangzhou, PR China), Y. Zhao and Z. Luo (Wuhan, PR China) 260
Growth, feed efficiency and condition of common octopus (*Octopus vulgaris*) fed on two formulated moist diets
J. Cerezo Valverde, M.D. Hernández, F. Aguado-Giménez and B. García García (Spain) 266
Effect of dietary phospholipid levels on performance, enzyme activities and fatty acid composition of pikeperch (*Sander lucioperca*) larvae
N. Hamza (Salammbo Tunisia; Namur, Belgium), M. Mhetli, I.B. Khemis (Salammbo Tunisia), C. Cahu (Plouzane, France) and P. Kestemont (Namur, Belgium) 274
Lysine requirement and efficiency of lysine utilization in turbot (*Scophthalmus maximus)* juveniles
H. Peres and A. Oliva-Teles (Porto, Portugal) 283
Effect of type of binder on growth, digestibility, and energetic balance of *Octopus maya*
C. Rosas, J. Tut, J. Baeza, A. Sánchez, V. Sosa, C. Pascual, L. Arena (Yucatán, Mexico), P. Domingues (Cartaza, Spain) and G. Cuzon (Tahiti, French Polynesia) 291
Mineral status of African catfish (*Clarias gariepinus*) fed diets containing graded levels of soybean or cottonseed meals
I.I. Toko (Namur, Belgium; Cotonou, Benin), E.D. Fiogbe (Cotonou Benin) and P. Kestemont (Namur, Belgium) 298

Physiology and Endocrinology

Salinity stress on embryos and early larval stages of the pomfret *Pampus punctatissimus*
Z. Shi, X. Huang (Shanghai, China), R. Fu, H. Wang, H. Luo, B. Chen, M. Liu (Zhoushan City, China) and D. Zhang (Wenzhou, China; Vero Beach, FL, USA) 306
The relationship between acute stress, food intake, endocrine status and life history stage in juvenile farmed Atlantic salmon, *Salmo salar*
N.W. Pankhurst, S.L. Ludke (Townsville, Queensland, Australia), H.R. King (Wayatinah, Tasmania, Australia) and R.E. Peter (Edmonton, Alberta, Canada) . . . 311
Physiological responses of European sea bass *Dicentrarchus labrax* to different stocking densities and acute stress challenge
P. Di Marco, A. Priori, M.G. Finoia (Rome, Italy), A. Massari, A. Mandich (Genoa, Italy) and G. Marino (Rome, Italy) 319

Effect of different thermal regimes on growth and physiological performance of the sea cucumber *Apostichopus japonicus* Selenka
Y. Dong, S. Dong and T. Ji (Qingdao, PR China) 329
Immune and physiological responses in Pacific white shrimp (*Penaeus vannamei*) to *Vibrio alginolyticus*
S.-L. Hsieh (Kaohsiung, Taiwan, ROC), Y.-H. Ruan (Ilan, Keelung, Taiwan, ROC), Y.-C. Li, P.-S. Hsieh (Kaohsiung, Taiwan, ROC), C.-H. Hu (Ilan, Taiwan, ROC) and C.-M. Kuo (Keelung, Taiwan, ROC) 335
Effects of the muscle relaxant, magnesium chloride, on the Sydney rock oyster (*Saccostrea glomerata*)
D. Butt (Taylors Beach, NSW, Australia), S.J. O'Connor (North Ryde, NSW, Australia), R. Kuchel (Taylors Beach, NSW, Australia), W.A. O'Connor (North Ryde, NSW, Australia) and D.A. Raftos (Taylors Beach, NSW, Australia) 342
Reduction of sexual maturation in male *Dicentrarchus labrax* by continuous light both before and during gametogenesis
A. Felip, S. Zanuy, B. Muriach, J.M. Cerdá-Reverter and M. Carrillo (Castellón, Spain) 347

Short Communications
Gene expression of ferritin in tissue of the Pacific white shrimp, *Litopenaeus vannamei* after exposure to pH stress
J. Zhou, W.-N. Wang, G.-Z. Ma, A.-L. Wang, W.-Y. He, P. Wang, Y. Liu, J.-J. Liu, R.-Y. Sun (Guangzhou, PR China) 356
Cryopreservation of Brazilian flounder (*Paralichthys orbignyanus*) sperm
C.F.C. Lanes, M. Okamoto (Rio Grande, Brazil), P.V. Cavalcanti, T. Collares, V.F. Campos, J.C. Deschamps, R.B. Robaldo (Pelotas, Brazil), L.F. Marins and L.A. Sampaio (Rio Grande, Brazil) 361
A fish nodavirus associated with mass mortality in hatchery-reared Asian Sea bass, *Lates calcarifer*
V. Parameswaran, S.R. Kumar, V.P.I. Ahmed and A.S.S. Hameed (Tamilnadu, India) 366

Correspondence
A reply to T.W. Flegel
P.A. McLaughlin (Anacortes, WA, USA), R. Lemaitre, F.D. Ferrari (Washington, D.C., USA), D.L. Felder and R.T. Bauer (Lafayette, Louisiana, USA) 370

Contents of *Aquaculture*, Volume 275 374